

Ultimate3S kit

Written by Hans Summers

Monday, 01 June 2015 03:49 - Last Updated Sunday, 26 June 2016 09:47



This is my implementation of the [QRP Labs Ultimate3S QRSS/WSPR kit](#) . My U3S is installed in the official [QRP Labs case](#) [relay-switched LPF kit](#) [QRP Labs QL1 GPS receiver module](#)

The system consists of the following blocks:

- 1) [QLG1 GPS receiver kit from QRP Labs](#)
- 2) [QRP Labs Ultimate3S QRSS/WSPR TX kit](#) (including [relay-switched LPF kit](#) and [6 LPF kits](#) for 6 band operation)
- 3) [Simple RF Power meter project](#)
- 4) 13.8V 5A Switched Mode power supply
- 5) Simple 5V regulator based on the 7805 chip (TO220 package).

The RF output is connected to a 30m length of RG58 coax. At the far end, the coax connects to a balun at the centre of a simple 30m wire dipole (no tuners etc). No attempt has been made to trim the dipole for proper resonance, so this system is far from perfect. Nevertheless it works

Ultimate3S kit

Written by Hans Summers

Monday, 01 June 2015 03:49 - Last Updated Sunday, 26 June 2016 09:47

well. I use it on bands from 160m to 10m even though the dipole is for 30m. Obviously the other bands work less well than 30m.

Photo (click for larger size)

{gallery}u3kit/photos{/gallery}